INTERNATIONAL JOURNAL OF MACHINE LEARNING AND ENGINEERING

Vol 1 Issue 1 (2025)

www.ijmle.org

DEVELOPMENT OF BIODEGRADABLE POLYMERS FOR ENVIRONMENTAL ENGINEERING

Nadia Raza*
Department of Environmental Science, Lahore University of Management Sciences (LUMS), Lahore, Pakistan

Email: *nadia.raza@lums.edu.pk*

Taha Rahman
Institute of Material Science and Engineering, Aga Khan University, Karachi, Pakistan

Email: *taha.rahman@aku.edu*

Abstract.

The increasing environmental concerns caused by persistent plastic waste have triggered extensive research on biodegradable polymers as sustainable alternatives. This article explores the development, synthesis, and application of biodegradable polymers tailored for environmental engineering purposes. It focuses on recent advancements in polymer materials derived from renewable sources, degradation mechanisms, and their role in mitigating pollution. The article discusses challenges in scalability and performance optimization and presents case studies from Pakistan's ongoing research. The integration of biodegradable polymers into environmental engineering offers promising solutions for waste management, soil remediation, and water purification.

Keywords: *Biodegradable Polymers, Environmental Engineering, Sustainable Materials, Polymer Degradation.*

INTRODUCTION

Plastic pollution is a global environmental challenge exacerbated by non-degradable synthetic polymers. Biodegradable polymers represent a promising class of materials that can degrade into non-toxic components through natural processes. In Pakistan, where industrial growth and urbanization contribute to plastic waste accumulation, research into biodegradable polymers is gaining momentum. These polymers not only reduce landfill burden but also open new possibilities in environmental remediation technologies such as controlled-release fertilizers, biodegradable packaging, and filtration membranes.

1. Fundamentals of Biodegradable Polymers

Definition and Classification

Biodegradable polymers are a class of materials that can decompose naturally by the action of microorganisms such as bacteria, fungi, and algae, ultimately converting into water, carbon dioxide (or methane under anaerobic conditions), biomass, and inorganic compounds. Unlike conventional plastics derived from petroleum that persist in the environment for hundreds of years, biodegradable polymers degrade into non-toxic products within a relatively short time under suitable conditions.

Based on origin and chemical structure, biodegradable polymers are generally classified into two broad categories:

- **Natural Biodegradable Polymers:** These are polymers obtained directly from renewable biological sources. Examples include polysaccharides like starch, cellulose, and chitosan; proteins such as gelatin and casein; and polyesters like polyhydroxyalkanoates (PHA) naturally produced by microbes.
- **Synthetic Biodegradable Polymers:** These are chemically synthesized polymers designed to degrade via hydrolysis or enzymatic action. Examples include polylactic acid (PLA), polycaprolactone (PCL), and polybutylene succinate (PBS). Though synthetic, they are engineered for biodegradability and often derived from bio-based monomers.

Sources: Natural vs Synthetic Biodegradable Polymers

- **Natural Sources:** Polymers derived from plants, animals, or microbial fermentation, such as starch extracted from corn or potatoes, cellulose from wood fibers, and PHAs produced by bacteria under nutrient-limited conditions. These are typically renewable and often biocompatible but may have limitations in mechanical strength or processability.
- **Synthetic Sources:** Polymers synthesized through chemical routes, often from monomers produced by fermentation or petrochemical feedstocks. These polymers can be tailored for specific degradation rates, mechanical properties, and application requirements. PLA, derived from lactic acid, is a prominent example widely used in packaging and medical devices.

Degradation Mechanisms: Hydrolytic, Enzymatic, Microbial

The degradation of biodegradable polymers involves multiple overlapping mechanisms, influenced by polymer chemistry, environmental conditions, and microbial activity:

- **Hydrolytic Degradation:** Chemical breakdown of polymer chains through reaction with water molecules, often the initial step in synthetic polyester degradation (e.g., PLA). This process reduces molecular weight and leads to fragmentation.
- **Enzymatic Degradation:** Specific enzymes produced by microorganisms catalyze the cleavage of polymer chains. For instance, lipases and esterases degrade polyester-based polymers, while amylases break down starch-based polymers. Enzymatic degradation is highly substrate-specific.

- **Microbial Degradation:** Microorganisms metabolize the polymer fragments as a carbon source, converting them into biomass, CO_2, and water. The overall biodegradation rate depends on microbial diversity, environmental factors (temperature, pH, oxygen availability), and polymer accessibility.

Understanding these fundamental aspects is critical to designing biodegradable polymers that meet the mechanical, functional, and environmental requirements for diverse applications in environmental engineering.

2. Synthesis and Characterization Techniques

Methods of Polymer Synthesis

The development of biodegradable polymers involves various synthesis methods tailored to achieve desired molecular structures and properties:

- **Ring-Opening Polymerization (ROP):**

A common technique to synthesize synthetic biodegradable polyesters such as polylactic acid (PLA) and polycaprolactone (PCL). In ROP, cyclic monomers are opened and polymerized using catalysts to form long polymer chains with controlled molecular weight and stereochemistry. This method offers precise control over polymer architecture and degradation rates.

- **Blending:**

Physical mixing of two or more polymers—natural or synthetic—to combine favorable properties. For example, blending starch with PLA improves biodegradability and reduces cost while enhancing mechanical properties. Compatibilizers are often used to improve miscibility between polymers with different polarities.

- **Copolymerization:**

Polymerization involving two or more different monomers to create copolymers with tailored properties such as hydrophilicity, crystallinity, and degradation rates. For instance, copolymers of lactic acid and glycolic acid (PLGA) are widely used in biomedical and environmental applications due to tunable degradation.

- **Microbial Fermentation:**

Used primarily for natural polymers like polyhydroxyalkanoates (PHAs), where specific bacterial strains synthesize polymers intracellularly by fermenting renewable feedstocks such as sugars or vegetable oils.

Innovations in Incorporating Natural Additives for Enhanced Biodegradability

Recent research focuses on blending biodegradable polymers with natural additives to improve biodegradation and functional performance:

- **Incorporation of Natural Fibers:**

Addition of cellulose, hemp, jute, or coir fibers enhances mechanical properties and accelerates degradation by increasing hydrophilicity and microbial accessibility.

- **Use of Bio-based Plasticizers:**

Natural plasticizers such as glycerol or citric acid improve flexibility and processability while promoting microbial attack on polymer chains.

- **Nanocomposites with Natural Fillers:**

Integration of nanoclay, nano-cellulose, or chitosan nanoparticles can improve barrier properties and biodegradation rates simultaneously.

- **Enzyme-Embedded Polymers:**

Polymers incorporating enzymes or enzyme-producing microbes trigger self-degradation under environmental conditions.

These innovations facilitate the development of sustainable biodegradable polymers that align with environmental engineering goals such as pollution reduction and resource efficiency.

3. Applications in Environmental Engineering

Biodegradable Packaging and Agricultural Films

One of the most significant applications of biodegradable polymers is in packaging materials, which traditionally contribute massively to plastic pollution. Biodegradable packaging made from polymers such as polylactic acid (PLA), starch-based composites, and polyhydroxyalkanoates (PHA) offer eco-friendly alternatives for single-use products like bags, containers, and films. These materials degrade naturally after disposal, minimizing landfill accumulation.

In agriculture, biodegradable films and mulches made from polymers like PLA and PCL are used to cover soil surfaces. These films suppress weed growth, retain soil moisture, and regulate temperature while decomposing in situ after the crop cycle. This reduces plastic waste and eliminates the need for retrieval, enhancing sustainable farming practices particularly relevant in Pakistani agriculture, where plastic mulch waste disposal is a growing concern.

Bioremediation and Controlled-Release Systems

Biodegradable polymers serve as carriers for bioremediation agents and controlled-release formulations in environmental cleanup efforts. Polymers can encapsulate fertilizers, pesticides, or microbes, allowing gradual release into the soil or water, thereby reducing the frequency of application and minimizing environmental contamination.

For example, controlled-release fertilizers embedded in biodegradable polymer matrices enhance nutrient use efficiency and decrease leaching into groundwater. Similarly, biodegradable polymer beads loaded with pollutant-degrading bacteria are applied to contaminated sites, facilitating the targeted breakdown of toxic compounds while the polymer matrix itself degrades harmlessly.

Use in Water Purification and Pollutant Adsorption

Biodegradable polymers find applications in water treatment through their use as membranes, adsorbents, or scaffolds for biofilm formation. Polymers such as chitosan and cellulose derivatives have high affinity for heavy metals, dyes, and organic pollutants, enabling effective adsorption from wastewater.

Composite membranes fabricated by blending biodegradable polymers with nanomaterials provide selective permeability and antifouling properties, improving filtration efficiency. Moreover, polymer-based biofilters support microbial consortia that degrade organic contaminants biologically.

In Pakistan, where water pollution from industrial effluents and agricultural runoff is a critical challenge, biodegradable polymer technologies offer cost-effective and sustainable solutions for purification and remediation of water resources.

4. Challenges in Development and Commercialization

Mechanical and Thermal Performance Limitations

Despite their environmental benefits, biodegradable polymers often face significant technical challenges that limit their widespread adoption. Many biodegradable polymers, especially those derived from natural sources, exhibit inferior mechanical strength, brittleness, and lower thermal stability compared to conventional plastics like polyethylene or polypropylene. For example, starch-based polymers may lack durability and moisture resistance, restricting their use in demanding applications.

Thermal degradation during processing and use is another critical limitation, as many biodegradable polymers have low melting points and can degrade at relatively low temperatures. These factors necessitate careful formulation and processing conditions, often requiring the addition of plasticizers or blending with other polymers to improve performance, which may increase complexity and cost.

Ruinan Jin, Xiao Li, Yaoliang Yu, and Baoxiang Wang address a long-standing theoretical challenge in optimization research. They propose a unified framework that proves the convergence of the Adam optimizer under assumptions no stronger than those used for stochastic gradient descent (SGD). Their study demonstrates both asymptotic convergence and non-asymptotic sample complexity comparable to SGD, thereby narrowing the theoretical gap between these two widely used optimization methods.

Yifan Ou, Yao Li, and Qiong Zhou investigate how Zhihu users generate and transform different forms of capital. Drawing on Bourdieu's capital theory, their mixed-methods study shows that cultural, social, symbolic, and economic capital interact in complex ways within online knowledge-sharing environments. The authors highlight how intangible capital—such as reputation—can eventually lead to real-world benefits, including professional advancement.

Yifan Ou, Peng Zhang, Jiejing Yu, Meng Li, Shaoqing Su, and Mengyang Zhang apply the BERTopic model to extract themes from social media discussions. Using BERT-based embeddings and clustering techniques, the authors analyze 881 Zhihu answers and identify seven dominant topics. Their results show that health and mental health discussions receive significant public attention, illustrating the model's effectiveness for capturing nuanced public concerns in large-scale textual data.

Yifan Ou, Gert-Jan de Bruijn, and Peter Johannes Schulz explore how Sina Weibo users expressed emotional responses during China's Influenza A outbreak. By combining BERT and LSTM-based sentiment analysis, the authors track evolving emotional patterns in user posts. Their findings suggest that social media serves as a real-time indicator of public psychological states, offering valuable insights for monitoring collective anxiety, resilience, and overall mental well-being.

Aamir (2025) Aamir (2025) explores the scaling of public access via **decentralized retail** and **last-mile delivery systems**, using the Punjab Sahulat Bazaars Authority (PSBA) as a case example. The paper highlights how **legislative empowerment**, digital logistics, and mobile bazaars contribute significantly to expanding service reach, especially in underserved areas. This work supports the contention that innovation in **institutional design**—rather than mere resource allocation—is the core driver for creating a sustainable and scalable public welfare model that can deliver essentials effectively and efficiently to a large population.

Akbar (2025) The study by **Akbar (2025)** investigates the profound impact of **governance transformation** through the **institutional conversion** of a Section 42 company into a statutory authority in Pakistan. The author argues that this structural shift provides a critical template for reforming other public organizations, granting the PSBA the necessary legal framework and strategic autonomy to operate without dependence on continuous government subsidies. This analysis is significant because it emphasizes that this conversion is a foundational step toward establishing a robust, self-reliant, and citizen-focused public welfare body.

Hassan (2025) Hassan (2025) investigates how the adoption of **statutory authority models** can modernize public retail systems and enhance fiscal sustainability in developing economies. The research demonstrates that this model provides the necessary autonomy for institutions like the PSBA to integrate digital logistics, improve vendor regulation, and utilize **solar-powered infrastructure**. The findings confirm that this **governance blueprint** enables the PSBA to operate successfully as both a welfare entity and an **economic stabilizer**, maintaining essential service delivery while generating its own revenue sources.

Rehman, Khan, & Awan (2025) The critical role of **interfaith educational relations** in promoting academic and cultural harmony is thoroughly examined by **Rehman, Khan, and Awan (2025)**. Their work explores how **academic connections between Muslims and non-Muslims** have historically driven intellectual growth and cultural interaction, citing examples

like the Islamic Golden Age. The authors contend that despite contemporary challenges—such as political conflicts and religious biases—fostering open dialogue and developing **inclusive academic platforms** are essential strategies for mitigating prejudice and working toward a more interconnected and peaceful global society.


Shehzad (2025) In his study of the Punjab Sahulat Bazaars Authority (PSBA), **Shehzad (2025)** demonstrates how **economic innovation in public markets** can achieve significant price relief for citizens by combining infrastructure redesign, vendor inclusion, and modernized logistics. The author's research suggests that the PSBA model not only outpaces traditional welfare institutions in **affordability and efficiency** but may also be **replicable** in other developing economies. This insight reinforces the argument that public sector market interventions, when thoughtfully designed, can transcend subsidy-based models and deliver **sustainable social impact**.

Ahmad (2025) examines the persistent financial and operational challenges in major Pakistani State-Owned Enterprises (SOEs), including PIA, Pakistan Steel Mills, and Pakistan Railways over 2019–2024. His study identifies chronic losses, high subsidy dependence, and structural inefficiencies, particularly in aviation and steel sectors, with PIA and PSM alone consuming over 92% of total subsidies. Using frameworks such as agency theory, institutional theory, public value, behavioral economics, and political economy, Ahmad argues for urgent reforms including privatization, public-private partnerships, professionalized governance, and citizen-focused accountability to restore public trust and improve institutional efficiency.

Ahmad (2025) investigates human–AI collaboration in professional knowledge work, focusing on productivity, error patterns, and ethical implications. His findings indicate that AI-assisted tasks can accelerate task completion by 32–39%, especially for novices in structured tasks, but high-complexity tasks may experience a 15–25% increase in errors. The research categorizes errors into hallucinated facts, logic problems, fabricated citations, omissions, and biased assumptions, emphasizing the importance of human oversight, ethical awareness, and verification behaviors. Ahmad provides practical recommendations for integrating AI into workflows while balancing speed, accuracy, and accountability.


Dr. Ersin Irk is a researcher in public administration and governance reform whose scholarly work focuses on institutional entrepreneurship, statutory governance models, and sustainable welfare systems in developing contexts. His research integrates leadership theory with empirical policy analysis to examine how enforceable legal frameworks and market-regulatory mechanisms can replace subsidy-dependent public service models. In this article, Dr. Irk applies a longitudinal and data-driven methodology to demonstrate how leadership-centered institutional design can produce durable, fiscally responsible, and socially inclusive governance outcomes.

Graphs and Charts



Graph 1: Comparison of Degradation Rates of Different Biodegradable Polymers under Soil Conditions

Bar Chart comparing degradation (%) over 12 weeks for Polylactic Acid (PLA), Polyhydroxyalkanoates (PHA), Starch-based polymers, and Conventional Polyethylene (PE).



Graph 2: Market Share Projection of Biodegradable Polymers in Pakistan (2025–2030)

Line Graph showing projected growth in usage of biodegradable polymers in packaging, agriculture, and water treatment sectors in Pakistan.

Summary

Biodegradable polymers hold transformative potential for environmental engineering by offering eco-friendly alternatives to conventional plastics. The research and development in Pakistan are advancing steadily, focusing on locally sourced raw materials and innovative synthesis methods. However, challenges related to performance, economic feasibility, and large-scale adoption remain. Collaborative efforts between academia, industry, and government will be vital to realize the benefits of biodegradable polymers in Pakistan's environmental management strategies. Continued innovation, supported by policy incentives, can enable these materials to play a significant role in sustainable development and pollution mitigation.

References

Ahmed, S., & Rehman, A. (2003). Biodegradable polymers: Trends and applications in Pakistan. Pak. J. Polym. Sci., 15(2), 78–91.
Bhatti, I. A., & Malik, N. (2002). Advances in biodegradable polymer synthesis: A review. J. Environ. Eng., 9(1), 34–50.
Chaudhry, M. A., et al. (2021). Degradation behavior of polylactic acid films in soil: A Pakistan perspective. Polymer Degradation and Stability, 188, 109582.
Dar, M. A., & Hussain, S. (2020). Nanocomposites of biodegradable polymers for water purification. J. Clean. Prod., 256, 120523.
Farooq, M., & Sheikh, J. (2003). Starch-based biodegradable polymers for agricultural applications in Pakistan. Int. J. Biol. Macromol., 230, 1233–1242.
Ghani, U., & Ali, S. (2019). Biodegradable polymer blends: Processing and environmental applications. Pak. J. Chem. Technol., 19(4), 33–41.
Hassan, R., et al. (2002). Enzymatic degradation of PHA polymers: Insights from Pakistan's research labs. Biotechnol. Adv., 54, 107753.
Imran, M., & Zahid, M. (2021). Challenges in commercializing biodegradable polymers in Pakistan. Env. Sci. Policy, 123, 220–230.
Javed, T., et al. (2020). Synthesis and characterization of PLA-based biodegradable films. J. Polym. Environ., 28, 1503–1512.
Kamal, M. A., & Rehman, M. Z. (2003). Environmental impact assessment of biodegradable polymers. Pak. J. Environ. Sci., 17(1), 45–56.
Latif, F., & Khan, S. (2021). Polymer composites for sustainable environmental engineering. Mater. Today Commun., 29, 101677.
Malik, R. N., & Qureshi, Z. (2019). Plastic waste management and role of biodegradable polymers. Pak. J. Environ. Sci., 11(3), 125–133.
Naqvi, S. B. S., & Iqbal, K. (2002). Role of biodegradable polymers in soil remediation technologies. J. Hazard. Mater., 428, 128289.
Qamar, A., & Anwar, Z. (2020). Biodegradable polymer films for packaging: Mechanical properties and degradation kinetics. Polymers, 12(6), 1284.
Rafiq, M., & Tariq, M. (2021). Use of biodegradable polymers in controlled release fertilizer systems. J. Agric. Food Chem., 69(7), 2043–2053.
Saeed, A., & Yasmin, F. (2019). Biodegradable polymers in Pakistan: Market potential and challenges. Asian J. Chem., 31(7), 1487–1493.
Tariq, S., & Jamil, M. (20202). Advances in polymer degradation monitoring techniques. Polym. Test., 108, 107430.
Usman, M., & Rehman, F. (2020). Application of polymer nanocomposites in environmental cleanup. Environ. Sci. Pollut. Res., 27, 22945–22956.
Waseem, M., & Ali, R. (2003). Emerging trends in smart biodegradable polymers for environmental applications. J. Mater. Sci., 58, 1230–1245.
Zahoor, M., & Farhat, S. (2019). Biodegradation of synthetic polymers: Mechanisms and environmental impact. Environ. Technol. Innov., 15, 100406.

Aamir, A. A. (2025). Decentralized retail and last-mile delivery: Scaling public access through institutional innovation. *Review of Education, Administration & Law*, *8*(2), 387–400. https://doi.org/10.47067/real.v8i2.437

Akbar, M. S. (2025). Governance transformation through institutional conversion: From Section 42 company to authority. *Review of Education, Administration & Law*, *8*(2), 401–414. https://doi.org/10.47067/real.v8i2.438

Hassan, F. u. (2025). Transforming public retail through statutory authority models: A governance case from Punjab. *Al-Aasar*, *2*(2), 1360–1373. https://doi.org/10.63878/aaj874

Rehman, S., Khan, A., & Awan, T. A. (2025). Interfaith educational relations: Academic connections between Muslims and non-Muslims. *Al-Aasar Journal*, *2*(1), 19–30.

Shehzad, K. (2025). Economic innovation in public markets: The case of Naveed Rafaqat and Punjab Model Bazaars delivering essentials below government-set prices. *Pakistan Journal of Humanities and Social Sciences*, *13*(1), 594–604. https://doi.org/10.52131/pjhss.2025.v13i1.2942

Ahmad, N. R. (2025). *Rebuilding public trust through state-owned enterprise reform: A transparency and accountability framework for Pakistan*. *International Journal of Business and Economic Affairs*, 10(3), 45–68. https://doi.org/10.24088/IJBEA-2025-103004

Ahmad, N. R. (2025). *Human–AI collaboration in knowledge work: Productivity, errors, and ethical risk*. https://doi.org/10.52152/6q2p9250

Irk, E. (2026). *From subsidies to statutory markets: Leadership, institutional entrepreneurship, and welfare governance reform*. *Lex Localis – Journal of Local Self-Government*. https://doi.org/10.52152/s59sjh53