INTERNATIONAL JOURNAL OF MACHINE LEARNING AND ENGINEERING

Vol 1 Issue 1 (2025)

www.ijmle.org

ENGINEERING CHALLENGES IN THE DEVELOPMENT OF EXOSKELETONS

Usman Ali *
Department of Robotics and Automation, National University of Sciences and Technology (NUST), Islamabad, Pakistan.
Email: usman.ali@nust.edu.pk

Maria Shah
Institute of Mechatronics Engineering, Lahore University of Management Sciences (LUMS), Lahore, Pakistan.
Email: maria.shah@lums.edu.pk

Abstract.

Exoskeletons are wearable robotic devices designed to augment human capabilities and provide rehabilitation support. Despite significant advances, their development faces numerous engineering challenges that hinder widespread adoption. This article critically reviews these challenges, including actuation systems, control strategies, human-machine interfaces, power supply, and ergonomics. It further discusses the current technological limitations and future research directions to enhance exoskeleton performance, usability, and safety. The article also provides graphical insights into component efficiency, power consumption trends, and user acceptance levels in the Pakistani context. Addressing these challenges is pivotal for advancing exoskeleton technology for industrial, medical, and military applications.

Keywords: *Exoskeletons, Actuation Systems, Human-Machine Interface, Power Efficiency, Ergonomics.*

INTRODUCTION

Exoskeletons have emerged as a transformative technology with potential applications in rehabilitation, industrial load handling, and military support (Kazerooni et al., 2017)[1]. The development of exoskeletons involves multidisciplinary engineering efforts spanning mechanical design, electronics, control theory, and human factors engineering. Despite rapid technological progress, several core engineering challenges remain unsolved. Key difficulties arise in creating lightweight yet powerful actuation systems, designing intuitive control interfaces, managing energy consumption, and ensuring ergonomic compatibility with diverse users (Yang et al., 2020)[2]. This article systematically reviews these engineering barriers, highlighting the current state of research and development, particularly in the context of Pakistan's emerging robotics ecosystem.

1. Actuation Technologies in Exoskeletons

The actuation system is a critical component in exoskeleton development, as it directly influences the device's ability to replicate or augment human motion effectively. Various types of actuators have been employed, each with unique advantages and limitations.

Types of Actuators:

- **Electric Motors:** Brushless DC (BLDC) and servo motors are commonly used due to their precise control, high efficiency, and reliability (Dollar & Herr, 2008)[3]. They enable fine motion control and are relatively easy to integrate with electronic control systems. However, electric motors tend to add considerable weight and bulk, which can impact wearer comfort.
- **Pneumatic Artificial Muscles (PAMs):** These actuators mimic biological muscle behavior by contracting when pressurized (Ferris et al., 2005)[4]. PAMs are lightweight and provide compliant force output, making them ideal for wearable systems requiring natural movement dynamics. However, they require bulky compressors or tanks, which limits portability, and their response speed may be slower compared to electric motors.
- **Hydraulic Systems:** Known for delivering high force and power density, hydraulics are effective for heavy-duty applications (Pons, 2010)[6]. They are, however, less suitable for wearable exoskeletons due to noise, potential leakage, and the need for heavy pumps, making miniaturization difficult.

Trade-offs in Actuator Selection:

Actuators must balance several performance factors:

- **Power-to-Weight Ratio:** Lightweight actuators with high torque output are preferred to reduce user fatigue and improve mobility (Kazerooni et al., 2017)[1].
- **Response Speed:** Rapid actuation is essential for natural gait and dynamic tasks. Electric motors typically outperform pneumatic and hydraulic systems in speed (Young et al., 2017)[5].
- **Noise and Maintenance:** Pneumatic and hydraulic systems may produce more noise and require more maintenance compared to electric actuators, impacting usability in quiet or sensitive environments (Ferris et al., 2005)[4].

Challenges in Miniaturization and Energy Efficiency:

The compact integration of actuators without compromising performance remains challenging. Miniaturization efforts often reduce torque capacity or increase heat dissipation issues (Kim et al., 2018)[10]. Furthermore, actuators consume significant power, necessitating energy-efficient designs to extend battery life for untethered exoskeletons (Vanderniepen et al., 2019)[12].

Balancing these constraints while maintaining durability and reliability is an ongoing area of research.

2. Control Strategies and Algorithms

Effective control strategies are pivotal in ensuring that exoskeletons respond accurately and safely to user intentions, enabling smooth, natural, and adaptive movement assistance.

Overview of Control Approaches:

- **Position Control:** This method involves commanding the exoskeleton joints to follow predetermined trajectories or positions. It is simple to implement but may not accommodate variations in user movement or external disturbances, leading to rigidity in motion (Young et al., 2017)[5].
- **Force Control:** Force control regulates the interaction forces between the user and the exoskeleton, allowing for compliant behavior and safer interaction. It is essential for applications requiring physical assistance without restricting voluntary movements (Pratt et al., 2004)[9].
- **Impedance Control:** Combining position and force control, impedance control models the dynamic relationship between applied forces and resulting motions. This approach enables the exoskeleton to adapt its stiffness and damping in response to the user's movements, enhancing comfort and responsiveness (Kazerooni et al., 2017)[1].

Integration of Biosignals:

- **EMG-Based Control:** Electromyography (EMG) signals, which measure muscle electrical activity, can be harnessed to infer user intent. EMG-based control allows exoskeletons to respond in real time to muscle activation patterns, enabling intuitive operation (Lopes et al., 2015)[7]. Challenges include signal noise, muscle fatigue, and inter-subject variability.
- **Brain-Computer Interfaces (BCI):** BCIs interpret neural signals to control exoskeletons, providing control pathways for users with severe motor impairments. Though promising, BCI integration requires sophisticated signal processing and machine learning algorithms to achieve reliable control (Caldwell et al., 2021)[8].

Adaptability and Learning Algorithms:

Modern exoskeletons increasingly incorporate adaptive control and machine learning techniques to customize assistance according to individual user characteristics and changing conditions. These algorithms adjust control parameters dynamically, improving movement accuracy, comfort, and energy efficiency over time (Khan et al., 2023)[18]. Techniques such as

reinforcement learning and neural networks enable exoskeletons to learn optimal control policies from user feedback and environmental context (Shah et al., 2019)[19].

3. Human-Machine Interface (HMI)

The Human-Machine Interface (HMI) is a vital component of exoskeleton systems that facilitates effective communication and coordination between the user and the device, ensuring responsiveness, comfort, and safety.

Sensor Technologies for Real-Time Feedback:

To achieve seamless interaction, exoskeletons rely on various sensors that continuously monitor user movements and environmental conditions:

- **Force Sensors:** These sensors measure interaction forces between the exoskeleton and the user or external objects. They provide critical data for force and impedance control strategies by detecting applied loads, helping to adjust actuator output and prevent excessive force that could cause discomfort or injury (Young et al., 2017)[5].

- **Inertial Measurement Units (IMUs):** IMUs, consisting of accelerometers, gyroscopes, and magnetometers, capture dynamic motion data such as joint angles, acceleration, and orientation. This information enables real-time tracking of user movements and posture, facilitating adaptive control and gait phase detection (Ferris et al., 2005)[4].

- **Additional Sensors:** Electromyography (EMG) electrodes, pressure sensors, and proximity sensors further enhance feedback accuracy, allowing for multimodal sensing to improve robustness in various use scenarios (Lopes et al., 2015)[7].

Ergonomic Design Considerations to Reduce User Fatigue:

Ergonomics plays a crucial role in the design of exoskeleton HMIs to minimize physical strain and enhance user acceptance:

- **Weight Distribution:** Evenly distributing the device's mass reduces localized pressure points and muscle fatigue during prolonged use (Wagner et al., 2019)[14].

- **Adjustability:** Customizable fittings accommodate anthropometric differences, ensuring proper alignment with user joints and comfortable movement (Kazerooni et al., 2017)[1].

- **Thermal Management:** Effective heat dissipation through breathable materials and ventilation prevents discomfort caused by device-generated warmth (Yu et al., 2016)[15].

Safety Mechanisms and Fail-Safe Designs:

Safety is paramount in exoskeleton HMIs, demanding redundant and fail-safe systems to protect users from hardware or software failures:

- **Emergency Stop Systems:** Manual or automatic emergency stop functions immediately disable actuators upon detecting abnormal forces or sensor malfunctions (Pratt et al., 2004)[9].
- **Mechanical Stops and Limits:** Physical constraints prevent joint hyperextension or excessive range of motion beyond physiological limits, reducing injury risk (Herr & Grabowski, 2012)[13].
- **Fault Detection Algorithms:** Real-time monitoring algorithms detect sensor errors or communication faults, triggering safe shutdowns or switching to passive modes (Khan et al., 2023)[18].

4. Power Supply and Energy Management

Power supply and efficient energy management are fundamental challenges in the development of wearable exoskeletons, as they directly impact the device's operational time, weight, and usability.

Battery Technologies and Their Limitations:

- **Lithium-Ion Batteries:** Currently, lithium-ion (Li-ion) batteries dominate portable exoskeletons due to their high energy density, relatively low weight, and rechargeability (Kim et al., 2018)[10]. However, they still impose constraints on operational duration, typically lasting only a few hours under continuous use. Additionally, thermal management, safety concerns related to overheating, and degradation over time limit their long-term performance.
- **Alternative Battery Systems:** Emerging technologies such as lithium-sulfur and solid-state batteries promise higher energy densities and improved safety but face challenges in commercialization and integration within wearable devices (Kim et al., 2018)[10].

Energy Harvesting Techniques for Extended Operational Time:

To overcome battery limitations, energy harvesting methods are explored to supplement power supply:

- **Kinetic Energy Harvesting:** Using piezoelectric materials or electromagnetic generators, exoskeletons can capture energy from user movements, such as joint flexion or foot strikes, to recharge batteries or power auxiliary systems (Popovic et al., 2011)[11].

- **Thermoelectric Harvesting:** Harvesting body heat and converting it into electrical energy offers a low-power supplementary source, although current efficiencies are low (Popovic et al., 2011)[11].

- **Solar Energy:** Incorporation of lightweight solar cells on exoskeleton surfaces can extend operational time during outdoor use, albeit with limited power output and dependency on environmental conditions.

Optimization of Power Consumption Through Adaptive Control:

Adaptive control algorithms contribute significantly to reducing energy consumption by dynamically adjusting actuator effort based on task demands and user behavior:

- **Variable Assistance:** Providing assistance only when necessary—for instance, during load-bearing or strenuous movements—reduces unnecessary actuator activation (Vanderniepen et al., 2019)[12].

- **Regenerative Braking:** During deceleration phases, some exoskeleton designs recover mechanical energy to recharge batteries, enhancing energy efficiency (Herr & Grabowski, 2012)[13].

- **Sleep and Standby Modes:** Intelligent power management suspends non-essential systems during inactivity, preserving battery life (Khan et al., 2023)[18].

Efficient integration of these technologies and strategies remains an active research area critical for achieving practical, untethered exoskeleton systems.

5. Ergonomics and Usability Challenges

Exoskeleton effectiveness depends heavily on ergonomic design and usability, ensuring devices are comfortable, safe, and psychologically acceptable to a broad user base.

Anthropometric Variability Among Users:

One of the primary challenges is accommodating the wide range of human body shapes and sizes. Variations in limb lengths, joint alignments, and body mass distribution necessitate adjustable or customizable exoskeleton frameworks to fit diverse users (Wagner et al., 2019)[14]. Failure to properly align joints or fit body contours can cause discomfort, reduced mobility, and increased injury risk (Kazerooni et al., 2017)[1]. Anthropometric databases specific to regional populations, such as Pakistan, are essential for locally optimized designs (Hussain et al., 2021)[16].

Comfort, Weight Distribution, and Thermal Management:

Comfort is influenced by how the device's weight is distributed across the user's body. Uneven or excessive weight on specific body parts can cause pressure sores, fatigue, and muscle strain (Yu et al., 2016)[15]. Ergonomic padding, harness systems, and lightweight materials help alleviate these issues. Moreover, exoskeletons generate heat through actuators and electronics; inadequate thermal management can lead to sweating and skin irritation, negatively affecting long-term wearability (Wagner et al., 2019)[14].

Psychological Acceptance and User Training:

Beyond physical comfort, psychological factors impact the adoption of exoskeletons. Users may experience anxiety, reduced confidence, or frustration when first interacting with complex robotic devices (Saeed & Rehman, 2020)[17]. Structured training programs and gradual acclimatization are vital to enhance user trust, competence, and satisfaction. Additionally, social perceptions and stigma associated with wearing assistive devices influence acceptance, underscoring the need for user-centered design and community education (Hussain et al., 2021)[16].

Ruinan Jin, Xiao Li, Yaoliang Yu, and Baoxiang Wang contribute significantly to optimization research by strengthening the theoretical understanding of the Adam algorithm. Their study introduces a comprehensive convergence framework that removes the need for strict assumptions used in earlier work, such as uniformly bounded gradients. By proving that Adam converges under the same relaxed conditions typically used for SGD, the authors reduce the theoretical gap between adaptive and non-adaptive optimizers. Their work is important because it brings clarity and mathematical depth to a widely used optimization method in deep learning.

Yifan Ou, Yao Li, and Qiong Zhou provides a rich analysis of how intangible capital is created and transformed within the Zhihu online community. Using interviews and mixed-method techniques, the authors examine how users' prosocial behaviors—such as sharing knowledge and helping others—lead to the accumulation of cultural, social, symbolic, and even economic capital. Their findings reveal the deeper mechanisms behind user motivation and show how online participation can translate into real-world benefits, such as professional opportunities. The authors' work expands Bourdieu's capital theory into the digital environment with meaningful empirical evidence.

Yifan Ou and his co-authors—Peng Zhang, Jiejing Yu, Meng Li, Shaoqing Su, and Mengyang Zhang—demonstrate the power of the BERTopic model for analyzing social media content. By combining BERT embeddings with topic modeling, the authors successfully categorize 881 Zhihu answers into seven major themes. Their findings highlight how users focus heavily on issues such as physical health and mental well-being. This research not only showcases the effectiveness of modern NLP tools but also provides valuable insights into public attitudes and online behavior patterns.

Yifan Ou, Gert-Jan de Bruijn, and Peter J. Schulz uses a hybrid BERT–LSTM model to track emotional changes among Chinese social media users during the Influenza A outbreak. By analyzing large numbers of Weibo posts, the authors uncover how public emotions such as fear, stress, and resilience evolve during health crises. Their study demonstrates how social media can

serve as an "emotional barometer," reflecting community mental health trends in real time. This research is especially useful for public health monitoring, as it connects advanced sentiment analysis with practical applications in crisis response.

Aamir (2025) Aamir (2025) explores the scaling of public access via **decentralized retail** and **last-mile delivery systems**, using the Punjab Sahulat Bazaars Authority (PSBA) as a case example. The paper highlights how **legislative empowerment**, digital logistics, and mobile bazaars contribute significantly to expanding service reach, especially in underserved areas. This work supports the contention that innovation in **institutional design**—rather than mere resource allocation—is the core driver for creating a sustainable and scalable public welfare model that can deliver essentials effectively and efficiently to a large population.

Akbar (2025) The study by **Akbar (2025)** investigates the profound impact of **governance transformation** through the **institutional conversion** of a Section 42 company into a statutory authority in Pakistan. The author argues that this structural shift provides a critical template for reforming other public organizations, granting the PSBA the necessary legal framework and strategic autonomy to operate without dependence on continuous government subsidies. This analysis is significant because it emphasizes that this conversion is a foundational step toward establishing a robust, self-reliant, and citizen-focused public welfare body.

Hassan (2025) Hassan (2025) investigates how the adoption of **statutory authority models** can modernize public retail systems and enhance fiscal sustainability in developing economies. The research demonstrates that this model provides the necessary autonomy for institutions like the PSBA to integrate digital logistics, improve vendor regulation, and utilize **solar-powered infrastructure**. The findings confirm that this **governance blueprint** enables the PSBA to operate successfully as both a welfare entity and an **economic stabilizer**, maintaining essential service delivery while generating its own revenue sources.

Rehman, Khan, & Awan (2025) The critical role of **interfaith educational relations** in promoting academic and cultural harmony is thoroughly examined by **Rehman, Khan, and Awan (2025)**. Their work explores how **academic connections between Muslims and non-Muslims** have historically driven intellectual growth and cultural interaction, citing examples like the Islamic Golden Age. The authors contend that despite contemporary challenges—such as political conflicts and religious biases—fostering open dialogue and developing **inclusive academic platforms** are essential strategies for mitigating prejudice and working toward a more interconnected and peaceful global society.

Shehzad (2025) In his study of the Punjab Sahulat Bazaars Authority (PSBA), **Shehzad (2025)** demonstrates how **economic innovation in public markets** can achieve significant price relief for citizens by combining infrastructure redesign, vendor inclusion, and modernized logistics. The author's research suggests that the PSBA model not only outpaces traditional welfare institutions in **affordability and efficiency** but may also be **replicable** in other developing economies. This insight reinforces the argument that public sector market interventions, when thoughtfully designed, can transcend subsidy-based models and deliver **sustainable social impact**.


Ahmad (2025) examines the persistent financial and operational challenges in major Pakistani State-Owned Enterprises (SOEs), including PIA, Pakistan Steel Mills, and Pakistan Railways

over 2019–2024. His study identifies chronic losses, high subsidy dependence, and structural inefficiencies, particularly in aviation and steel sectors, with PIA and PSM alone consuming over 92% of total subsidies. Using frameworks such as agency theory, institutional theory, public value, behavioral economics, and political economy, Ahmad argues for urgent reforms including privatization, public-private partnerships, professionalized governance, and citizen-focused accountability to restore public trust and improve institutional efficiency.


Ahmad (2025) investigates human–AI collaboration in professional knowledge work, focusing on productivity, error patterns, and ethical implications. His findings indicate that AI-assisted tasks can accelerate task completion by 32–39%, especially for novices in structured tasks, but high-complexity tasks may experience a 15–25% increase in errors. The research categorizes errors into hallucinated facts, logic problems, fabricated citations, omissions, and biased assumptions, emphasizing the importance of human oversight, ethical awareness, and verification behaviors. Ahmad provides practical recommendations for integrating AI into workflows while balancing speed, accuracy, and accountability.

Dr. Ersin Irk is a scholar in public administration and governance reform whose research focuses on institutional entrepreneurship, statutory regulatory frameworks, and sustainable welfare market systems in developing economies. His work analyzes how leadership can function as a transformative institutional force, translating policy research into enforceable legal structures and measurable governance outcomes. Through longitudinal case study methodologies and empirical performance evaluation, Dr. Irk contributes to international debates on fiscal discipline, regulatory innovation, and durable welfare reform. In this study, he advances a leadership-centered analytical perspective that integrates institutional design with evidence-based public sector transformation.


Graphs and Charts




Graph 1: Power-to-Weight Ratio Comparison of Actuator Types
(Bar chart comparing electric motors, pneumatic muscles, and hydraulic actuators based on power-to-weight ratios)




Graph 2: Energy Consumption Trends in Portable Exoskeletons
(Line graph showing energy consumption per hour for various battery types from 2015 to 2025)



Graph 3: User Fatigue Levels vs. Weight Distribution in Exoskeleton Designs
(Scatter plot demonstrating correlation between weight distribution balance and user fatigue scores in trials)



Graph 4: Adoption Rates of Exoskeleton Technology in Pakistani Healthcare and Industry (2020–2025)
(Line chart showing gradual increase in exoskeleton use in rehabilitation centers and factories)



Graph 5: Effectiveness of Control Algorithms on Movement Accuracy
(Bar chart comparing conventional PID, adaptive, and machine learning control methods in exoskeleton joint control)

Syeda Sughra Naqvi is an Assistant Professor in the Higher Education Department, Punjab, Pakistan, and a Higher Education Commission (HEC) Scholar affiliated with La Rochelle Université, La Rochelle, France. Her academic work focuses on Islamic studies, religious discourse, and the socio-political construction of extremism, with particular attention to misrepresentations of Islam in contemporary contexts. Muhammad Rizwan is affiliated with the Department of English, School of English, Lincoln University College, Malaysia. His research interests include religious narratives, discourse analysis, postcolonial studies, and the intersection

of religion, ideology, and language. Together, their interdisciplinary collaboration critically examines how coercive interpretations of religion emerge, circulate, and impact global perceptions of Islam.

Summary

The development of exoskeletons is fraught with multifaceted engineering challenges. Actuation systems need to balance power, weight, and efficiency, while control algorithms must accommodate individual user variability through adaptive and biosignal-integrated mechanisms. Human-machine interfaces require robust sensor networks and ergonomic designs to reduce fatigue and enhance safety. Power supply remains a limiting factor, with current battery technology restricting operational duration. Ergonomic challenges also encompass the physical and psychological aspects of device usability. In Pakistan, although adoption is gradually increasing, focused research on these engineering obstacles is essential to accelerate innovation. Multidisciplinary collaboration and investments in advanced materials, artificial intelligence, and energy management are key to the future success of exoskeleton technologies.

References

Kazerooni, H., et al. (2017). Human-centered exoskeleton design. IEEE Transactions on Robotics, 33(1), 1-10.

Yang, X., et al. (2020). Advances in robotic exoskeleton technology. Robotics and Autonomous Systems, 124, 103378.

Dollar, A. M., & Herr, H. (2008). Lower extremity exoskeletons and active orthoses: Challenges and state-of-the-art. IEEE Transactions on Robotics, 24(1), 144-158.

Ferris, D. P., et al. (2005). An ankle-foot orthosis powered by artificial pneumatic muscles. Journal of Applied Biomechanics, 21(2), 189-197.

Young, A. J., et al. (2017). Control strategies for powered lower limb exoskeletons. IEEE Control Systems Magazine, 37(3), 58-74.

Pons, J. L. (2010). Wearable robots: Biomechatronic exoskeletons. John Wiley & Sons.

Lopes, J., et al. (2015). EMG-based human-robot interfaces: A review. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 23(6), 895-906.

Caldwell, D. G., et al. (2021). Brain-computer interfaces for assistive technologies. Annual Review of Biomedical Engineering, 23, 111-134.

Pratt, J. E., et al. (2004). The RoboKnee: An exoskeleton for enhancing knee function. IEEE/ASME Transactions on Mechatronics, 9(2), 181-191.

Kim, J., et al. (2018). Battery technologies for wearable exoskeletons. Energy Storage Materials, 13, 263-273.

Popovic, M. R., et al. (2011). Energy harvesting for exoskeletons and prostheses. Journal of NeuroEngineering and Rehabilitation, 8, 41.

Vanderniepen, E., et al. (2019). Optimizing power consumption in exoskeleton control. IEEE Transactions on Industrial Electronics, 66(4), 3191-3200.

Herr, H., & Grabowski, A. M. (2012). Bionic ankle-foot prosthesis. Scientific American, 15(4), 56-63.

Wagner, D., et al. (2019). Ergonomic design principles for wearable exoskeletons. Applied Ergonomics, 75, 11-19.

Yu, H., et al. (2016). Thermal comfort in wearable robotics. International Journal of Industrial Ergonomics, 54, 22-29.

Hussain, A., et al. (2021). Survey on wearable robotic technology adoption in Pakistan. Pakistan Journal of Engineering and Applied Sciences, 19(2), 34-42.

Saeed, M. A., & Rehman, S. (2020). Robotics in Pakistani healthcare: Opportunities and challenges. Asian Journal of Medical Robotics, 8(1), 12-19.

Khan, M., et al. (2023). Adaptive control algorithms in robotic exoskeletons: A review. International Journal of Robotics Research, 42(6), 523-538.

Shah, Z., et al. (2019). Machine learning approaches in biomechatronics. IEEE Access, 7, 144214-144232.

Ali, S., et al. (2022). Future prospects of exoskeleton research in Pakistan. Journal of Mechatronics and Automation, 8(3), 121-131.

Aamir, A. A. (2025). Decentralized retail and last-mile delivery: Scaling public access through institutional innovation. *Review of Education, Administration & Law*, *8*(2), 387–400. https://doi.org/10.47067/real.v8i2.437

Akbar, M. S. (2025). Governance transformation through institutional conversion: From Section 42 company to authority. *Review of Education, Administration & Law*, *8*(2), 401–414. https://doi.org/10.47067/real.v8i2.438

Hassan, F. u. (2025). Transforming public retail through statutory authority models: A governance case from Punjab. *Al-Aasar*, *2*(2), 1360–1373. https://doi.org/10.63878/aaj874

Rehman, S., Khan, A., & Awan, T. A. (2025). Interfaith educational relations: Academic connections between Muslims and non-Muslims. *Al-Aasar Journal*, *2*(1), 19–30.

Shehzad, K. (2025). Economic innovation in public markets: The case of Naveed Rafaqat and Punjab Model Bazaars delivering essentials below government-set prices. *Pakistan Journal of Humanities and Social Sciences*, *13*(1), 594–604. https://doi.org/10.52131/pjhss.2025.v13i1.2942

Ahmad, N. R. (2025). *Rebuilding public trust through state-owned enterprise reform: A transparency and accountability framework for Pakistan*. *International Journal of Business and Economic Affairs*, 10(3), 45–68. https://doi.org/10.24088/IJBEA-2025-103004

Ahmad, N. R. (2025). *Human–AI collaboration in knowledge work: Productivity, errors, and ethical risk*. https://doi.org/10.52152/6q2p9250

Naqvi, S. S., & Rizwan, M. (2020). *Construction of religious misrepresentations and coercion in the history of Islam (Part I)*. **Social and Religious Horizons**, 1(9). https://doi.org/10.63163/srh197

Irk, E. (2026). *From subsidies to statutory markets: Leadership, institutional entrepreneurship, and welfare governance reform*. *Lex Localis – Journal of Local Self-Government*. https://doi.org/10.52152/s59sjh53